

# CEA Standard

Versatile Home Network

CEA-851-A

March 2006



## NOTICE

CEA Standards, Bulletins and other technical publications are designed to serve the public interest through eliminating misunderstandings between manufacturers and purchasers, facilitating interchangeability and improvement of products, and assisting the purchaser in selecting and obtaining with minimum delay the proper product for his particular need. Existence of such Standards, Bulletins and other technical publications shall not in any respect preclude any member or nonmember of CEA from manufacturing or selling products not conforming to such Standards, Bulletins or other technical publications, nor shall the existence of such Standards, Bulletins and other technical publications preclude their voluntary use by those other than CEA members, whether the standard is to be used either domestically or internationally.

Standards, Bulletins and other technical publications are adopted by CEA in accordance with the American National Standards Institute (ANSI) patent policy. By such action, CEA does not assume any liability to any patent owner, nor does it assume any obligation whatever to parties adopting the Standard, Bulletin or other technical publication.

This CEA Standard is considered to have International Standardization implication, but the International Electrotechnical Commission activity has not progressed to the point where a valid comparison between the CEA Standard and the IEC document can be made.

This Standard does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of this Standard to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before its use.

(Formulated under the cognizance of the CEA's **R7 Home Network Committee**.)

Published by

©CONSUMER ELECTRONICS ASSOCIATION 2002  
Technology & Standards Department  
2500 Wilson Boulevard  
Arlington, VA 22201

**PRICE: Please call Global Engineering Documents, USA and Canada (1-800-854-7179)  
International (303-397-7956), or  
<http://global.ihs.com>  
All rights reserved  
Printed in U.S.A.**

PLEASE!

DON'T VIOLATE  
THE  
LAW!

This document is copyrighted by CEA and may not be reproduced without permission.

Organizations may obtain permission to reproduce a limited number of copies through entering into a license agreement. For information, contact:

Global Engineering Documents  
15 Inverness Way East  
Englewood, CO 80112-5704 or call  
U.S.A. and Canada 1-800-854-7179, International (303) 397-7956  
See <http://global.ihs.com> or email [global@ihs.com](mailto:global@ihs.com)



## FOREWORD

This standard was developed under the auspices of the R7 Home Network Committee.

It should be noted that this current version, CEA-851-A, supersedes CEA-851.

The Video Electronics Standards Association (VESA) established the VESA Home Network (VHN) Committee in 1995 to create the architecture for a digital, broadband home network. The VHN standard was initially developed by the VESA Home Network Committee. However, it was never ratified as a VESA standard.

In June 1999, the Consumer Electronics Association (CEA) established the R7 Committee to help harmonize the several efforts being undertaken to develop home networking standards. In January 2000, the Board of Directors of VESA and the Board of Directors of the Consumer Electronics Association agreed to merge the VESA Home Network and the CEA R7 Committee, by establishing the CEA R7.4 Committee.

CEA-851 was completed and approved in 2000. Work started on CEA-851-A in 2003. Subsequently, CEA-851-A was transferred to R7 WG3 as the R7 standards committee was reorganized by the CEA and R7.4 was dissolved. In 2004 CEA asked the 1394 Trade Association (1394TA) to help develop CEA-851-A. The 1394TA presented a proposal for CEA-851-A to CEA in January 2005.

This standard is to be forwarded to JTC1 SC25 WG1 for international adoption.

## TABLE OF CONTENTS

|   |           |
|---|-----------|
| <b>1 Scope and Purpose .....</b>  | <b>2</b>  |
| <b>1.1 Purpose .....</b>  | <b>2</b>  |
| <b>1.2 Scope .....</b>  | <b>3</b>  |
| <b>2 Normative References.....</b>                                      | <b>5</b>  |
| <b>2.1 Normative Reference List .....</b>                               | <b>5</b>  |
| <b>2.2 Request For Comments (RFCs).....</b>                             | <b>8</b>  |
| <b>2.3 Informative References .....</b>                                 | <b>8</b>  |
| <b>3 Definitions and Abbreviations .....</b>                            | <b>9</b>  |
| <b>3.1 Definitions.....</b>   | <b>9</b>  |
| <b>3.2 Abbreviations .....</b>  | <b>15</b> |
| <b>4 Conformance .....</b>  | <b>18</b> |
| <b>4.1 VHN Home Network .....</b>                                       | <b>18</b> |
| <b>4.2 VHN Devices.....</b>   | <b>18</b> |
| <b>5 Network Infrastructure .....</b>                                   | <b>19</b> |
| <b>5.1 Overview of Media and Topology .....</b>                         | <b>19</b> |
| <b>5.2 Physical Media .....</b>   | <b>20</b> |
| <b>5.2.1 Category 5e UTP .....</b>                                      | <b>20</b> |
| <b>5.2.2 Glass Optical Fiber .....</b>                                  | <b>20</b> |
| <b>5.2.3 Plastic Optical Fiber .....</b>                                | <b>20</b> |
| <b>5.3 Topology .....</b>   | <b>20</b> |
| <b>5.4 Backbone Physical &amp; Data Link Layer (IEEE 1394b).....</b>    | <b>21</b> |
| <b>5.5 Protocol Stacks, Network Layers, Services &amp; Streams.....</b> | <b>21</b> |
| <b>5.5.1 Protocol Stacks Overview.....</b>                              | <b>22</b> |
| <b>5.5.2 IEEE 1394 Initialization .....</b>                             | <b>22</b> |
| <b>5.5.2.1 IEEE 1394 Node Discovery .....</b>                           | <b>23</b> |
| <b>5.5.2.2 AV/C Node Discovery .....</b>                                | <b>23</b> |
| <b>5.5.3 Description of Specific Protocols .....</b>                    | <b>23</b> |
| <b>5.5.3.1 IEEE 1394 Physical Layer .....</b>                           | <b>23</b> |
| <b>5.5.3.2 IEEE 1394b.....</b>  | <b>23</b> |
| <b>5.5.3.3 IEEE 1394 Link Layer .....</b>                               | <b>24</b> |
| <b>5.5.3.4 IEEE 1394 Transaction Layer .....</b>                        | <b>24</b> |
| <b>5.5.3.5 IEEE 1394 Serial Bus Management .....</b>                    | <b>24</b> |
| <b>5.5.3.6 Function Control Protocol (FCP).....</b>                     | <b>24</b> |
| <b>5.5.3.7 AV/C READ DESCRIPTOR Command .....</b>                       | <b>24</b> |
| <b>5.5.4 Internet Protocol (IP).....</b>                                | <b>24</b> |
| <b>6 Addressing, Discovery, and Control.....</b>                        | <b>25</b> |
| <b>6.1 Heterogeneous Networks.....</b>                                  | <b>25</b> |
| <b>6.2 User-to-Device Control.....</b>                                  | <b>25</b> |
| <b>6.3 UPnP .....</b>   | <b>25</b> |

|  |           |
|--|-----------|
| <b>7 Media Transport .....</b>   | <b>26</b> |
| <b>7.1 Streams .....</b>   | <b>26</b> |
| <b>7.1.1 Isochronous Streams in ANSI/CEA-2027-A.....</b>                               | <b>26</b> |
| <b>7.1.2 IP-based Streams in UPnP AV .....</b>   | <b>26</b> |
| <b>7.1.3 Routing IP streams .....</b>  | <b>28</b> |
| <b>7.1.4 Media Devices for IP Streaming.....</b>                                       | <b>28</b> |
| <b>7.1.5 Media Transport for IP Streaming .....</b>                                    | <b>29</b> |
| <b>7.1.5.1 Media Streaming.....</b>  | <b>29</b> |
| <b>7.1.5.2 Media File Transfer .....</b>   | <b>30</b> |
| <b>7.1.6 Quality of Service.....</b>   | <b>30</b> |
| <b>7.1.6.1 VHN Media Player.....</b>   | <b>30</b> |
| <b>7.1.6.2 VHN Media Server .....</b>  | <b>30</b> |
| <b>7.1.6.2.1 Serving Full Quality Streams.....</b>                                     | <b>31</b> |
| <b>7.1.6.3 VHN Network Switch .....</b>  | <b>31</b> |
| <b>7.1.6.4 VHN Network Router.....</b>   | <b>31</b> |
| <b>7.2 Telephony .....</b>   | <b>32</b> |
| <b>8 Backbone Interfaces.....</b>  | <b>32</b> |
| <b>8.1 Backbone-Component Interface.....</b>   | <b>32</b> |
| <b>8.1.1 IEEE 1394 Bridging .....</b>  | <b>33</b> |
| <b>8.1.2 Requirements for IEEE 1394—IEEE 1394 Interfaces .....</b>                     | <b>33</b> |
| <b>8.2 Access Interfaces .....</b>   | <b>34</b> |
| <b>8.2.1 Installing an Access Interface .....</b>                                      | <b>34</b> |
| <b>8.2.2 Network Security: Firewalls, Conditional Access, Privacy Management .....</b> | <b>34</b> |
| <b>Annex A Examples of VHN Home Network Implementations.....</b>                       | <b>36</b> |
| <b>A.1 Example 1 – A VHN Home Network with CATV, DBS, and POTS Access.....</b>         | <b>36</b> |
| <b>A.2 Example 2 – A VHN Home Network with a Residential Gateway.....</b>              | <b>37</b> |
| <b>A.3 Example 3 – A VHN Home Network with a Multimedia Hub .....</b>                  | <b>37</b> |
| <b>Annex B - Introduction to IEEE P1394c (Informative) .....</b>                       | <b>39</b> |
| <b>Annex C - The OSI Reference Model (Informative).....</b>                            | <b>40</b> |
| <b>Annex D - ANSI/CEA-2027-A User Interface (Informative).....</b>                     | <b>43</b> |
| <b>D.1 Overview of ANSI/CEA-2027-A .....</b>   | <b>43</b> |
| <b>D.2 An A/V Home Network .....</b>   | <b>43</b> |
| <b>D.3 A/V Control .....</b>   | <b>44</b> |
| <b>Annex E - UPnP Architecture (Informative).....</b>                                  | <b>45</b> |
| <b>E.1 Overview of UPnP .....</b>  | <b>45</b> |
| <b>E.2 Network Configuration.....</b>  | <b>45</b> |
| <b>E.2.1 Address Acquisition .....</b>   | <b>45</b> |
| <b>E.2.1.1 Managed Device Addressing .....</b>   | <b>46</b> |
| <b>E.2.1.2 Unmanaged Device Addressing.....</b>  | <b>46</b> |
| <b>E.2.2 DNS Option.....</b>   | <b>46</b> |
| <b>E.3 Association Control.....</b>  | <b>46</b> |

|  |           |
|--|-----------|
| <b>E.3.1 The Participants in Association Control</b> .....                 | <b>46</b> |
| <b>E.3.2 Discovery</b> .....   | <b>46</b> |
| <b>E.3.3 Description</b> .....   | <b>47</b> |
| <b>E.3.4 Presentation</b> .....  | <b>47</b> |
| <b>E.4 Control and Event Notification</b> .....                            | <b>47</b> |
| <b>E.4.1 Communications between Devices and Control Points</b> .....       | <b>47</b> |
| <b>E.4.2 Control</b> .....   | <b>48</b> |
| <b>E.4.3 Event Notification</b> .....                                      | <b>48</b> |
| <b>Annex F CEA-851.1, IP-based Telephony (Informative)</b> .....           | <b>49</b> |
| <b>F.1 Overview of CEA-851.1</b> .....                                     | <b>49</b> |
| <b>F.2 Scope of CEA-851.1</b> .....  | <b>49</b> |
| <b>Annex G - The ISO/IEC 15045 Residential Gateway (Informative)</b> ..... | <b>50</b> |
| <b>G.1 Overview of ISO/IEC 15045</b> .....                                 | <b>50</b> |
| <b>G.2 Firewall</b> .....  | <b>50</b> |
| <b>G.3 LAN Adapter</b> .....   | <b>50</b> |
| <b>G.4 Application Controller</b> .....                                    | <b>51</b> |
| <b>G.5 HomeGate Implementation</b> .....                                   | <b>51</b> |
| <b>G.6 Further HomeGate Developments</b> .....                             | <b>51</b> |

**FIGURES**

|  |           |
|--|-----------|
| <b>Figure 1 – A VHN Home Network .....</b>   | <b>3</b>  |
| <b>Figure 2 – An Abstract VHN Home Network .....</b>                                 | <b>4</b>  |
| <b>Figure 3 – VHN Protocol Stacks.....</b>   | <b>22</b> |
| <b>Figure 4 – Protocol Stack for Initialization .....</b>                            | <b>23</b> |
| <b>Figure 5 – Protocol Stack for Internet Protocol.....</b>                          | <b>25</b> |
| <b>Figure 6 – UPnP AV Streaming.....</b>   | <b>27</b> |
| <b>Figure 7 – Example of Protocol Stacks in a Backbone-Component Interface .....</b> | <b>32</b> |
| <b>Figure 8 – A VHN Home Network with CATV, DBS, and POTS Access .....</b>           | <b>36</b> |
| <b>Figure 9 – A VHN Home Network with a Residential Gateway.....</b>                 | <b>37</b> |
| <b>Figure 10 – A VHN Home Network with a Multimedia Hub .....</b>                    | <b>38</b> |
| <b>Figure 11 – OSI Reference Model .....</b>   | <b>41</b> |

## Introduction

This standard defines an IP-enabled network for connecting cluster networks to a whole-home broadband distribution backbone in order to facilitate integrated operation of appliances and networked components. The distribution network in this standard is based on IEEE 1394. This network will accommodate Ethernet as an attached network via a bridge, and directly with the introduction of IEEE 1394c. The network defined in this standard is called the Versatile Home Network (VHN Home Network). The VHN Home Network provides a flexible and open network architecture and communications protocol specification for digital devices in the home.

Function and use of a VHN Home Network:

- Allows the transfer of information among all connected digital devices in the home, either as directly connected end devices or as part of a cluster network.
- Allows interoperability between devices on different cluster networks in the home, including low bandwidth networks and high bandwidth networks.
- Provides a common interface to Residential Gateways that connect devices in the home to access networks.
- Provides user-to-device control.
- Provides device-to-device control.
- Provides home network management for devices and applications.

**NOTE:** CEA-851-A defines a home intranet as a collection of networks that provides complete connectivity between end devices. This intranet uses the facilities of the TCP/IP protocol suite for asynchronous (and some isochronous) communications. Almost all of the underlying technologies, from media to applications, are defined elsewhere, as standards that were developed by national standards bodies, by international standards bodies, or by industry consortia. CEA-851-A is different from most other standards in that it places unusual emphasis on incorporation of these other technologies and protocols. In many cases, the entire technology or protocol is included by reference in CEA-851-A. Thus, a single sentence in this standard may imply hundreds of pages of definitions and requirements from other documents. It is important for the reader and user of CEA-851-A to understand that the underlying specifications must be respected, and carefully followed, for the VHN to be an effective integrating tool for the home network.